

L Number	Hits	Search Text	DB	Time stamp
1	2449	712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 09:45
2	506	709/248.ccls. or 709/400.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 09:46
3	1480	713/400.ccls. or 713/600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 09:46
4	1344	711/147.ccls. or 711/152.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:17
5	3816	synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:18
6	5609	synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 11:13
7	210	chauvel-gerard\$.in. or aussedat-francis\$.in. or callipe-pierre\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:20
8	112174	(different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:22
9	785988	(signal or matrix or array or vector) near5 process\$3 or dsp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:23
10	35339	(scalar or superscalar or protocol) near5 process\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:23
12	0	((chauvel-gerard\$.in. or aussedat-francis\$.in. or callipe-pierre\$.in.) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:24

11	4	(chauvel-gerard\$.in. or ausse-dat-francis\$.in. or callipe-pierre\$.in.) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:27
13	0	(chauvel-gerard\$.in. or ausse-dat-francis\$.in. or callipe-pierre\$.in.) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:28
14	3	(chauvel-gerard\$.in. or ausse-dat-francis\$.in. or callipe-pierre\$.in.) and (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:39
15	525	(synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:43
16	177	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit))) and (@ad<19910627 or @rlad<19910627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:46
17	155	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit))) and (@ad<19910627 or @rlad<19910627)) and ((signal or matrix or array or vector) near5 process\$3 or dsp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:44
18	47	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit))) and (@ad<19910627 or @rlad<19910627)) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:44

19	402	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:45
20	4941	((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:45
21	6	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit))))) same (((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:45
22	0	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit))))) same (((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3)) and (@ad<19910627 or @rlad<19910627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:45
23	34	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit))))) and (((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 10:45
24	24	((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit))))) and (((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3)) and (@ad<19910627 or @rlad<19910627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 11:15
25	5708	(712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 11:13

26	127	((712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.))) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 11:14
27	618	((712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.))) and ((synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) or (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 11:14
28	144	((((712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.))) and ((synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) or (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage)))))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB.	2004/11/15 11:15
29	46	(((((712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.))) and ((synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) or (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage)))))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)) and (@ad<19910627 or @rlad<19910627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 11:15

30	41	((((712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls.or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.)) and ((synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) or (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage)))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)) and (@ad<19910627 or @rlad<19910627)) not (((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit))))) and (((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3))) and (@ad<19910627 or @rlad<19910627))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 12:52
----	----	--	---	---------------------

31	40	((((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit)))) and (@ad<19910627 or @rlad<19910627)) and ((signal or matrix or array or vector) near5 process\$3 or dsp)) and ((scalar or superscalar or protocol) near5 process\$3)) not ((((((712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.)) and ((synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) or (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)) and (@ad<19910627 or @rlad<19910627)) not (((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit))))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3))) and (@ad<19910627 or @rlad<19910627)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 12:53
----	----	---	---	---------------------

32	16	((((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) and (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and ((different or various or hetero\$5 or master or main) near6 (processor or cpu or (processing near3 unit))) and (@ad<19910627 or @rlad<19910627)) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3) not (((((712/1.ccls. or 712/2.ccls. or 712/3.ccls. or 712/4.ccls. or 712/7.ccls. or 712/10.ccls. or 712/11.ccls. or 712/17.ccls. or 712/23.ccls. or 712/14.ccls. or 712/34.ccls. or 712/35.ccls. or 712/36.ccls.) or (709/248.ccls. or 709/400.ccls.) or (713/400.ccls. or 713/600.ccls.) or (711/147.ccls. or 711/152.ccls.)) and ((synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) or (synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage)))) and ((signal or matrix or array or vector) near5 process\$3 or dsp) and ((scalar or superscalar or protocol) near5 process\$3)) and (@ad<19910627 or @rlad<19910627)) not (((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and (((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3))) and (@ad<19910627 or @rlad<19910627)))) not (((synchron\$6 same ((common or shar\$3 or global) near5 (memory or storage))) same (synchron\$10 same (multiprocessor or (multiple or plural or several or two) near3 (processor or cpu or (processing near1 unit)))) and (((signal or matrix or array or vector) near5 process\$3 or dsp) same ((scalar or superscalar or protocol) near5 process\$3))) and (@ad<19910627 or @rlad<19910627))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/15 12:53
----	----	---	---	---------------------